

# EC-Material Safety Data Sheet

For chemical substances and preparations according 1907/2006/EG, Article 31



## Safety Data Sheet

### ECO ANTISPATTER E-EUROPE

Safety Data Sheet dated 22/01/2013, version 1.0

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1. Product Identifier

Mixture identification:

Trade name:

ECO ANTISPATTER E-EUROPE

Trade code:

KP10565-E

##### 1.2. Relevant identified uses of the substance/mixture and uses advised against

Recommended use:

Antispatter for welding (Aerosol)

##### 1.3. Details of the supplier of the safety data sheet

Company:

LINCOLN ELECTRIC EUROPE c/o Balmes 89-80 2a /E – 08008 Barcelona Spain

Competent person responsible for the safety data sheet:

Technical Department - info@lincolnelectric.eu

##### 1.4. Emergency telephone number

LINCOLN ELECTRIC EUROPE - ph n. +34 (0) 93 685960

#### 2. HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:

Properties / Symbols:

The product is not classified as dangerous according to 67/548/CE and 1999/45/CE.

It contains 5% of flamme substances

Adverse physicochemical, human health and environmental effects:

No other hazards

##### 2.2. Label elements

R Phrases:

None

S Phrases:

S2 Keep out of reach of children.

S23 Do not breathe aerosols.

S51 Use only in well-ventilated areas.

Special Provisions:

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C.

Do not pierce or burn, even after use. Avoid to inhale directly and to spray into for eyes

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.

Keep out of reach of children.

##### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

##### 3.1. Substances

N.A.


##### 3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

3% - 5% Hydrocarbons, C3-4; Petroleum gas

Index number: 649-199-00-1, CAS: 68476-40-4, EC: 270-681-9

F+; R12; substance with a Community workplace exposure limit

 2.5 Press. Gas H280

 2.2/1 Flam. Gas 1 H220

K Note

For the wording of the listed risk phrases refer to section 16

# EC-Material Safety Data Sheet

For chemical substances and preparations according 1907/2006/EG, Article 31



## Safety Data Sheet ECO ANTISPATTER E-EUROPE

### 4. FIRST AID MEASURES

- 4.1. Description of first aid measures  
In case of skin contact:  
Wash with plenty of water and soap.  
In case of eyes contact:  
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
In case of Ingestion:  
N.A. as aerosol preparation.  
In case of Inhalation:  
Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed  
None
- 4.3. Indication of any immediate medical attention and special treatment needed  
Treatment:  
None

### 5. FIRE-FIGHTING MEASURES

- 5.1. Extinguishing media  
Suitable extinguishing media:  
Water.  
Carbon dioxide (CO<sub>2</sub>).  
Extinguishing media which must not be used for safety reasons:  
None in particular.
- 5.2. Special hazards arising from the substance or mixture  
Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.
- 5.3. Advice for fire-fighters  
Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

### 6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures  
Wear personal protection equipment.  
Remove persons to safety.  
See protective measures under point 7 and 8.
- 6.2. Environmental precautions  
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up  
Wash with plenty of water.
- 6.4. Reference to other sections  
See also section 8 and 13

### 7. HANDLING AND STORAGE

- 7.1. Precautions for safe handling  
Pressurized container. Do not perforate or burn even after use.  
Do not use near fire or other possible sources of ignition. During work phase do not smoke.  
Avoid contact with skin and eyes, inhalation of vapours and mists.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities  
Keep away from food, drink and feed.  
Incompatible materials:  
None in particular. See also section 10  
Instructions as regards storage premises:  
Adequately ventilated premises.
- 7.3. Specific end use(s)  
None in particular

# EC-Material Safety Data Sheet

For chemical substances and preparations according 1907/2006/EG, Article 31



## Safety Data Sheet

### ECO ANTISPATTER E-EUROPE

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### 8.1. Control parameters

1,1,1,2-Tetrafluoroethane - CAS: 811-97-2

OEL 8h: 1000 ppm

Hydrocarbons, C3-4; Petroleum gas - CAS: 68476-40-4

TLV TWA: 1000 ppm

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

##### 8.2. Exposure controls

Eye protection:

Wear goggles with lateral protection EN166 .

If exposure to vapours cause a sense of bother to eyes, use antigas mask with complete facial.

Protection for skin:

It is not necessary in case of brief contact except for wearing antistatic clean and covering garments.

In case of long and frequent contact use protective and waterproof garments to this material.

Choosing specific protection as peak, gloves, boots, overalls depends on the type of operations.

Protection for hands:

During normal manipulation it is not necessary a particular protection.

In case of frequent contacts protect hands with gloves resistant to solvents (OVC,PE, neoprene, not natural rubber).

Respiratory protection:

The levels of air concentration should be maintained under the exposure limits. If inhalation are over exposure limit use a supplied air respirator with cartridge filter. Filter type EN 141.

Thermal Hazards:

The aerosol container if overheated, deforms, breaks and it can be thrown a considerable distance

Environmental exposure controls:

Keep the container and use the product only in well ventilated place. A located ventilation may be necessary for some operations.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

##### 9.1. Information on basic physical and chemical properties

Appearance and colour: pressurized container with base and liquefied gas

Odour: Characteristic

Odour threshold: N.A.

pH: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Solid/gas flammability: No

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Flash point: N.A.

Evaporation rate: N.A.

Vapour pressure: 3-8 bar

Relative density: N.A.

Solubility in water: Partial

Lipid solubility: Partal

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

##### 9.2. Other information

Miscibility: N.A.

Fat Solubility: N.A.

Conductivity: N.A.

Substance Groups relevant properties N.A.

# EC-Material Safety Data Sheet

For chemical substances and preparations according 1907/2006/EG, Article 31



## Safety Data Sheet ECO ANTISPATTER E-EUROPE

### 10. STABILITY AND REACTIVITY

- 10.1. Reactivity  
Stable under normal conditions
- 10.2. Chemical stability  
Stable under normal conditions
- 10.3. Possibility of hazardous reactions  
None
- 10.4. Conditions to avoid  
Keep away from sunlight, overheating. Keep at temperature not exceeding 50 °C. Keep away from oxidant agents.  
Avoid contact with alkaline metals (Li, Na,K) or alkaline-earth metals (Ca, Mg,Ba) and its associations.
- 10.5. Incompatible materials  
None in particular.
- 10.6. Hazardous decomposition products  
None.

### 11. TOXICOLOGICAL INFORMATION

- 11.1. Information on toxicological effects  
Toxicological information of the mixture:  
N.A.  
Toxicological information of the main substances found in the mixture:  
N.A.  
If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:
  - a) acute toxicity;
  - b) skin corrosion/irritation;
  - c) serious eye damage/irritation;
  - d) respiratory or skin sensitisation;
  - e) germ cell mutagenicity;
  - f) carcinogenicity;
  - g) reproductive toxicity;
  - h) STOT-single exposure;
  - i) STOT-repeated exposure;
  - j) aspiration hazard.

### 12. ECOLOGICAL INFORMATION

- 12.1. Toxicity  
Adopt good working practices, so that the product is not released into the environment.  
It doesn't Contain CHLORINE-FLUORINE-CARBIDE.
- 12.2. Persistence and degradability  
Degradation for photolysis through diffusion in atmosphere.  
None dangerous effect for ozone: DOP= zero
- 12.3. Bioaccumulative potential  
Absent
- 12.4. Mobility in soil  
It evaporates
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

### 13. DISPOSAL CONSIDERATIONS

- 13.1. Waste treatment methods  
Disposal should be in accordance with local, state or national legislation. Aerosol container can explode at temperature Above 50 °C if contains little gas residue. Spray all the aerosol content before disposal.  
The product has to be considered: special dangerous disposal.  
Waste disposal key:  
The aerosol as a domestic waste is excluded from the application of such a normative for industrial activity, the empty aerosol for professional use can be classified as follow: 15.01.10: packaging containing residues of dangerous substances or residues contaminated by these substances.

# EC-Material Safety Data Sheet

For chemical substances and preparations according 1907/2006/EG, Article 31



## Safety Data Sheet ECO ANTISPATTER E-EUROPE

### 14. TRANSPORT INFORMATION

- 14.1. UN number  
ADR-UN number: 1950  
IATA-Un number: 1950  
IMDG-Un number: 1950
- 14.2. UN proper shipping name  
ADR-Shipping Name: AEROSOLS, Limited Quantity: max 1000ml Total gross mass of package not exceed 30 kg LQ2  
IATA-Technical name: AEROSOLS,  
IMDG-Technical name: AEROSOLS
- 14.3. Transport hazard class(es)  
ADR-Class: 2, 5A  
ADR-Label: <UN1950 AEROSOLS>  
IATA-Class: 2.2  
IATA-Label: <UN1950 AEROSOLS>  
IMDG-Class: 2
- 14.4. Packing Group
- 14.5. Environmental hazards  
Marine pollutant: No
- 14.6. Special Precautions for User  
IMDG-Technical name: AEROSOLS  
IMDG-EMS: F-D  
IMDG-MFAG: S-U
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
N.A.

### 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture  
Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances). Dir. 99/45/EEC (Classification, packaging and labelling of dangerous preparations). Dir. 98/24/EC (Risks related to chemical agents at work). Dir. 2000/39/EC (Occupational exposure limit values); Dir. 2006/8/CE. Regulation (CE) n. 1907/2006 (REACH), Regulation (CE) n. 1272/2008 (CLP), Regulation (CE) n. 790/2009 (1° ATP CLP), Regulation (EU) n. 453/2010 (Annex I).

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.  
Regulation (EC) nr 648/2004 (detergents).  
1999/13/EC (VOC directive)

15.2. Chemical Safety Assessment  
No

### 16. OTHER INFORMATION

Full text of phrases referred to in Section 3:  
R12 Extremely flammable.

H280 Contains gas under pressure; may explode if heated.  
H220 Extremely flammable gas.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities  
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold  
CCNL - Appendix 1  
Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
CAS: Chemical Abstracts Service (division of the American Chemical Society).

# EC-Material Safety Data Sheet

For chemical substances and preparations according 1907/2006/EG, Article 31



## Safety Data Sheet

### ECO ANTISPATTER E-EUROPE

CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.