



Self-drilling screw with two wings drill, countersunk head and Ph recess. Zinc plated

INDEX

ATA Zinc-plated. TX recess

Material for use:

METAL



Wood - metal




Product Material / Covering:

Zinc-plated

PROFESSIONAL BOX

CODE	DIMENSIONS			EAN	PRICE
ATA4832	4,8 x 32	500 pcs.	6000 pcs.	8423533803092	6,727
ATA4838	4,8 x 38	500 pcs.	6000 pcs.	8423533803108	7,587
ATA4845	4,8 x 45	500 pcs.	3000 pcs.	8423533803115	8,743
ATA4850	4,8 x 50	500 pcs.	3000 pcs.	8423533803122	10,207
ATA5538	5,5 x 38	500 pcs.	3000 pcs.	8423533803139	11,617
ATA5545	5,5 x 45	500 pcs.	3000 pcs.	8423533803146	11,827
ATA5550	5,5 x 50	500 pcs.	3000 pcs.	8423533803153	13,783
ATA5555	5,5 x 55	500 pcs.	2000 pcs.	8423533803160	14,11
ATA5565	5,5 x 65	500 pcs.	2000 pcs.	8423533803177	17,14
ATA6350	6,3 x 50	500 pcs.	2000 pcs.	8423533803184	20,14
ATA6360	6,3 x 60	250 pcs.	1500 pcs.	8423533803191	22,38
ATA6370	6,3 x 70	250 pcs.	1500 pcs.	8423533803207	25,473
ATA6385	6,3 x 85	250 pcs.	1000 pcs.	8423533803214	30,573
ATA6310	6,3 x 100	250 pcs.	750 pcs.	8423533803221	44,053

TECHNICAL INFORMATION



CODE	DIMENSIONS	Max. fixture thickness		Installation key
ATA4832	4,8 x 32	16		TX25
ATA4838	4,8 x 38	22		TX25
ATA4845	4,8 x 45	29		TX25
ATA4850	4,8 x 50	34		TX25
ATA5538	5,5 x 38	19		TX25
ATA5545	5,5 x 45	26		TX25
ATA5550	5,5 x 50	31		TX25
ATA5555	5,5 x 55	36		TX25
ATA5565	5,5 x 65	46		TX25
ATA6350	6,3 x 50	30		TX30
ATA6360	6,3 x 60	40		TX30
ATA6370	6,3 x 70	50		TX30
ATA6385	6,3 x 85	65		TX30
ATA6310	6,3 x 100	80		TX30


CHARACTERISTICS



Zinc-plated



TX



Countersunk

RECOMMENDED FOR



Sandwich plates with overhead



Iron roofing



DATA SHEET

<https://www.indexfix.com/docs/ft-mad-en.pdf>

*The data shown in this table are merely informative and do not constitute, in any case, contractual conditions of supply. The references contained in our catalog will be available until end of stock. Our prices do not included value added tax. This will be taxed according to current legislation for local and international transactions.